



Burlington WA 1620 S. Walnut, 98233  
Main Lab PH: 800-755-9295 | FX: 360-757-1402

Bellingham WA 805 Orchard Dr. Suite 4, 98225  
Microbiology Lab PH: 888-725-1212 | FX: 360-671-1577

**CBWA**  
**Canadian Bottled Water Association**  
**Chain of Custody / Analysis Request**

**PLEASE READ ALL INSTRUCTIONS THEN COMPLETE.**

Report To:	Bill To: <input type="checkbox"/> Same As Report To
Address:	Address:
City: Province: Zip:	City: State: Zip:
Phone: Fax:	Phone:
Contact:	P.O. #:
Report Email:	Visa <input type="checkbox"/> M/C <input type="checkbox"/> Expires:
Project Name:	Card #

**GENERAL TESTING INFORMATION**

This Is For:  CBWA Compliance AND / OR  FDA Compliance (If Selling In U.S.)

Product Or Source Name:

Date Coding (LOT#):

Date Sampled: Time Sampled: Sampled By:

Treatment Type (Check All That Apply):  None  Chlorinated  Chloramines  Ozone  Chlorine Dioxide

**PRODUCT TESTING (ANNUALLY)**

- Annual
- \$100 Discounted For CBWA Members (Check Box)
- Rush 20 Calendar Day (\$400 U.S.) (Standard turnaround is 5 weeks)

**SEND: 20 Liters or 5 Gallons**

**IMPORTANT: To reduce THM contamination charge your GAC filters and wait one week to sample the product.**

**WEEKLY, MONTHLY & QUARTERLY TESTING**

- Bromate  Caps & Containers Rinse  Monthly/Quarterly THM
- Bacteria  Other

**SOURCE TESTING (ANNUALLY)**

- Annual
- \$100 Discounted For CBWA Members (Check Box)
- Rush 20 Calendar Day (\$400 U.S.) (Standard turnaround is 5 weeks)

**SEND: Samples in containers provided by Edge**

**Source samples must be received by the laboratory within 24 hours of being sample. Place containers in cooler(s) with enough ice to keep samples at 4°C until arrival at Edge**

**COMMENTS OR REQUESTS**

Relinquished By	Date	Time	Received By	Date	Time
X			X		

	YES	NO	N/A		YES	NO
Custody Seals Intact	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Samples Received Intact	<input type="checkbox"/>	<input type="checkbox"/>
Evidence Of Cooling	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Chain Of Custody & Labels Agree	<input type="checkbox"/>	<input type="checkbox"/>
Sample Temp _____°C Satisfactory	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

**RETURN SAMPLES TO:**  
**Edge Analytical**  
**1620 S. Walnut St.**  
**Burlington, WA 98233**  
**USA**

**800-755-9295 | www.EdgeAnalytical.com**